

DATASHEET

Industrial splice distributor with metal housing for DIN-RAIL, unassembled



adapters and front plate not included

Specifications

Fully assembled metal housing
For DIN Rail mounting
Cable entries top/bottom, prepared for M20
Delivery incl. screws for front panel

Included: 1 x splice distributor housing
1x splice cassette
1 x splice holder for 12 crimp splices (Attach of an optional additional splice holder only with double-sided adhesive tape)
1 x cable gland M20
1 x Alu DIN Rail clip
Delivery unassembled and without Front panel


Dimensions: 61x115x113mm
Temperature Range: -40°C~+85°C







DATASHEET

Industrial splice distributor with metal housing for DIN-RAIL, unassembled

Drawings/ Figures




No.	Description	Q'ty
1	Housing (part 1)	1
2	Housing (part 2)	1
3.1	Front plate (not included in delivery)	
3.2.1	Rivet	1
3.2.2	Mounting plate	1
4	Pan head tapping screws	8



DATASHEET

Industrial splice distributor with metal housing for DIN-RAIL, unassembled

Drawings/ Figures



No.	Description	Q'ty
1	Rivet	1
2	Mounting plate	1

Order Data

Type

Industrial splice distributor with metal housing for DIN-RAIL, unassembled

Accessories

Front panel for 6 x SC duplex, LC quad

Front panel for 6 x SC simplex, LC duplex, E2000®

Front panel for 12 x SC simplex, LC duplex, E2000®

Front panel for 12 x ST simplex

